

UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF NEW YORK

2 CV 02819 COURT 12 CV 02819

CONCERNED CITIZEN NEW YORK


ENVIRONMENTALISTS

Mr. Joseph W. Jean-Louis
23345-048 PRO SE

CITIZANT NOT A REG
ATTORNEY VERSEN IN

LAw P.O. BOX 33 U.S.P
TERR STATE TERR
STATE INDIANA
97808

PLAINTIFF



CASE # TO BE
Supplied By
COURT CLERK

INDIAN POINT
NUCLEAR REACTOR
NEW YORK STATE
NUCLEAR REGULATORY
COMMISSION
ENVIRONMENTAL
PROTECTION AGENCY
RESPONDENTS GOVERNOR
DEFENDENT OF NEW YORK

COMPLAINT
FOR GROSS
NEGLECT
ALLEGED
ON
BEHALF OF
DEFENDENTS

COMES NOW: THE PLAINTIFFS
INTO THIS HONORABLE U.S. DISTRICT
COURT SEEKING JUDICIAL
REVIEW OF THIS COMPLAINT

IN the SAN FERNANDO VALLEY
 OF CALIFORNIA, JUST OVER THE
 HOLLYWOOD HILLS FROM LOS ANGELES
 2 million people GET their
 WATER SUPPLY FROM A THICK
 ALLUVIAL DEPOSIT OF SAND
 AND GRAVEL

NEW YORK CITY

SHOULD CONDUCT
 RANDOM SAMPLINGS
 OF ITS WATER
 SUPPLY WITHIN A 50 MILE RADIUS
 OF THE INDIAN POINT

REACTOR AS WELL EVERY 72 HOURS
 AT 42ND ST SUBWAY STATION
 GRAY HOUND BUS STATIONS

34TH ST SUBWAY ST WALL ST
 SUBWAY STATION 34TH ST

AMTRAK STATION

AS WELL AS TESTS OF WATER
 AT CITY HALL U.S. COURTS
 AND J.F.K. AIRPORT

CITY
 HALL
 SUBWAY
 STATION
 MANHATTAN
 BOROUGH HALL
 BKLYN

RADIO NUCLIDES REPRESENT
A SPECIAL CLASS OF CARCINOGENS.
CERTAIN ISOTOPES OF CERTAIN
ELEMENTS (AMONG THEM, URANIUM,
PLUTONIUM, RADIUM, CESIUM, AND
IODINE) ARE RADIOACTIVE, THAT IS, THEY
SPONTANEOUSLY EMIT SUB-ATOMIC
PARTICLES AND ELECTROMAGNETIC
RADIATION. IT IS NOW ESTABLISHED
BEYOND DOUBT THAT THOSE
RADIOACTIVE EMISSIONS CAN CAUSE
CANCER IN LIVING TISSUE.
THE ENVIRONMENTAL ISSUES
THAT ARISE FROM RADIOACTIVE
CONTAMINATION ARE
SUFFICIENTLY DIFFERENT FROM
THOSE ARISING FROM CHEMICAL
CARCINOGENESIS

APRIL 26th 1986 there was
An ACCIDENT, EXPLOSION AND
FIRE AT THE CHERNOBYL
NUCLEAR POWER PLANT IN
KIEV UKRAINE RUSSIA
THIS CAUSED RADIATION
TO ESCAPE AND LEAK
CAUSING CONTAMINATION

OF

Sheep
LIVESTOCK
WATER
PEOPLE
FEED
CROPS
Etc.

AS FAR AWAY AS EUROPE

Signed for
me for
DATE 3/27/12

INDIANA

Respectfully
SUBMITTED

MR. JOE W. JEAN-LUIS
23345-048
P.O. Box 33 U.S.P.
REAR MARE INDIANA

FURTHERMORE THE GOVERNOR
SHOULD CALL OUT THE
NATIONAL GUARD ARMED
WITH SURFACE TO AIR-MISSILES
TO SHOOT DOWN ANY HI-JACKED
PLANE OR OTHER AIR PLANE
BEING TO CRASH INTO IT
WHICH WOULD CAUSE AN
TO SAY THE LEAST
CATASTROPHIC INCIDENT
WITH LOSS OF LIFE
WHICH WOULD PROBABLY CAUSE
THE EVACUATION OF NEW
YORK STATE CITIZENS IN
AT LEAST A 50-100 MILE
RADIUS OF THE REACTOR
AS WELL AS CONTAMINATE
FOOD WATER PEOPLE

THAT THE NUCLEAR REGULATORY
COMMISSION SHOULD SHUT DOWN
THE INDIAN POINT NUCLEAR
REACTOR EVERY 45 FORTY-FIVE
DAYS FOR THE REACTOR'S INSPECTION
OF ITS COOLING POND.
ITS VALVES SAFETY-BACK-UP
GENERATORS, URANIUM PELLETS
RODS ITS MODERATOR SYSTEM
ALSO FOR THE REMOVAL
OF THE FOLLOWING ITEMS
OF THIS COMPLAINT FOR
JUDICIAL REVIEW ALL
OF THE FOLLOWING

PRECAUTIONS WITH CHEMICALS

VOLATILE FLUIDS ARE LIQUIDS WHICH EVAPORATE RAPIDLY AT RELATIVELY LOW TEMPERATURES. IN THIS DISCUSSION, THE TERM WILL BE USED TO INCLUDE PRESSURIZED GASES ESCAPING FROM THEIR CONTAINERS, IN SAFETY CONSIDERATIONS. TWO MAIN TYPES OF FLUIDS MUST BE CONSIDERED FIRST, THOSE WHICH RESULT IN EXPLOSIVE VAPORS AND SECOND THOSE WHICH ARE TOXIC

EXPLOSIVE VAPORS, AND SECOND, THOSE WHICH ARE TOXIC

EXPLOSIVE VAPORS

Fuels, alcohol, PAINTING MATERIALS AND SUPPLIES, AND MANY INDUSTRIAL GASES PRODUCE POTENTIALLY explosive VAPORS when ALLOWED TO ACCUMULATE IN CLOSED SPACES

THE HAZARDS RELATING TO THESE LARGE MATERIALS ARE ASSOCIATED WITH THE FLASH POINT OF THE LIQUID.

ALL OF THE ABOVE FOR SELF EXPLANATORY REASONS SHOULD NEVER BE IN ANY CONTAINMENT BUILDING AND SHOULD BE A MINIMUM OF 500 YARDS OUTSIDE OF THE REACTOR IN ANOTHER BUILDING

TO PREVENT AN ACCIDENT
FURTHERMORE THE INDIAN
POINT NUCLEAR REACTOR
AND ENVIRONMENTAL
PROTECTION AGENCY SHOULD
CONDUCT MUCK DISASTER
DRILLS EVERY 90 NINETY DAYS
AND THAT THE INDIAN POINT
NUCLEAR REACTOR BE PATROLLED
WITH AT LEAST 12 ONE DOZEN
LAW ENFORCEMENT POLICE
ARMED WITH GAS MASKS
BULLET PROOF VESTS AUTOMATIC
WEAPONS WALKIE TALKIES
AND A FIRE DEPT TRUCK AT
LEAST 21 TWO SHOULD BE
AT LEAST POSTED TWO-MILES
FROM THE INDIAN POINT
REACTOR.

CERTIFICATE OF SERVICE

I Joseph W. Tew - Com's
Do now SUBMIT this COMPLAINT
FOR JUDICIAL REVIEW IN
NO WAY IS MEANT TO BE
FRIVOLOUS NOR OVER BURDEN
THE COURT WITH UNNECESSARY
LEGAL CASES, BUT IS MADE
FROM A CONCERNED CITIZEN
AS WELL AS ENVIRONMENTALIST
PERSPECTIVE AND THAT I HAVE
SERVED ALL DEFENDANTS IN
THIS CASE WITH EXACT COPIES
VIA U.S. MAIL WITH CORRECT
ADDRESSES AND PROPER
DUE AMOUNT OF U.S. STAMPS
POSTAGE

Respectfully
Submitted
MR. JOE W. TEW - Com's
23345-048
PO BOX 33 USP
TOWNSHIP INDIANA